




MR16 LED Light Specifications



P/N: DMXP-MR16-5XXW-45S



DMX Technologies



DMX MR16 LED Lights – High Power LED 5W

5W MR16 LED LIGHT SPECIFICATION **Unique LEDs Inside**

MECHANICAL SPECS

Housing	Aluminum; PC
Base type	GX5.3 Compatible base
Outer Dimension	φ 49mm × 38mm
Housing Color	Silver
Weight	46gs

ELECTRICAL SPECS

Power Requirement	12V AC(20K~100KHz) Electrical AC Power
Power Consumption	Maximum 5W
Transformer spec	Low-Voltage Magnetic or Electronic to provide 12V AC

ENVIRONMENTAL SPECS

Operating Temperature	-20 ~ 40°C
Storage Temperature	-40 ~ 80°C
Humidity	0~90% non condensed
Body Temperature¹	65°C
MTBF²	> 20,000hr

OPTICAL SPECS

Beam Angle	Flood Light 45±3°
Color Temperature	Warm White (2800K) ->P/N: DMXP-MR16-5WW-45S
And P/N	Cold White (5000K) ->P/N: DMXP-MR16-5CW-45S
	Sun White (6500K, High Colour Rendering)
	->P/N: DMXP-MR16-5HSW-45S
CRI	> 75
	Max: 95 (DMXP-MR16-5HSW-45S)

¹ Traditional MR16 surface temperature is higher than 130°C.


² MTBF (Mean Time Between Failure) will effect by transformer.

DMX LED Lights (DMX Technologies)



DMX MR16 LED Lights – High Power LED 5W

DIMENSIONS



OPTICAL PERFORMANCE

(1) Beam Angle: 45°

(2) Luminous Flux (LED): Type: 200lm (2800K Warm White and 6500K, High Colour Rendering Sun White), Type: 280lm (5000K Cold White).

(2) Illuminance Distribution:

DMX-MR16-5CW-45S at 300mm ht



			163	890	900	131			
			1230	2280	2270	1220			
			1230	2280	2270	1220			
			163	890	900	131			

The test sample was positioned perpendicular to the horizontal surface, the measurements were taken on every 100mm×100mm spot. The total area is 1000mm*1000mm.

Unit: Lux

DMX LED Lights (DMX Technologies)

Address: Humberto Lobo 520-N06, Col del Valle San Pedro Garza Garcia, 66220 Nuevo Leon, Mexico

Tel: +52 (81) 8356 6850 Tel: +52 (55) 5662 2600 Fax: +52 (55) 5662 2601

Site: www.dmxledlights.com Email: info@dmxledlights.com



DMX MR16 LED Lights – High Power LED 5W

DMX-MR16-5WW-45S at 1000mm ht

13	28	48	65	74	76	68	62	34	14
42	70	92	103	108	110	105	94	77	44
74	99	124	140	147	146	138	122	95	73
93	121	143	156	161	162	155	144	123	94
104	133	156	167	170	171	167	156	134	105
104	133	156	167	170	171	167	156	134	105
93	121	143	156	161	162	155	144	123	94
74	99	124	140	147	146	138	122	95	73
42	70	92	103	108	110	105	94	77	44
13	28	48	65	74	76	68	62	34	14

Unit: Lux

DMX-MR16-5HSW-45S at 500mm ht

		49	243	318	315	231	60		
		245	427	541	549	433	241		
		348	560	643	645	561	355		
		348	560	643	645	561	355		
		245	427	541	549	433	241		
		49	243	318	315	231	60		

Unit: Lux

DMX-MR16-5HSW-45S at 300mm ht

			350	790	780	340			
			850	1540	1530	847			
			850	1540	1530	847			
			350	790	780	340			

Unit: Lux

DMX-MR16-5HSW-45S at 1000mm ht

14	36	61	73	80	79	73	63	39	14
44	75	93	105	112	115	106	93	77	44
76	101	125	139	145	146	140	123	99	75
94	120	140	153	161	161	156	146	124	98
103	129	150	164	171	172	169	156	134	104
103	129	150	164	171	172	169	156	134	104
94	120	140	153	161	161	156	146	124	98
76	101	125	139	145	146	140	123	99	75
44	75	93	105	112	115	106	93	77	44
14	36	61	73	80	79	73	63	39	14

Unit: Lux

The test sample was positioned perpendicular to horizontal surface, the measurements were taken on every 100mm×100mm spot. The total area is 1000mm*1000mm.

DMX LED Lights (DMX Technologies)

Address: Humberto Lobo 520-N06, Col del Valle San Pedro Garza Garcia, 66220 Nuevo Leon, Mexico


Tel: +52 (81) 8356 6850 Tel: +52 (55) 5662 2600 Fax: +52 (55) 5662 2601

Site: www.dmxledlights.com Email: info@dmxledlights.com



DMX MR16 LED Lights – High Power LED 5W

OUTLINE



APPLICATIONS



DMX LED Lights (DMX Technologies)


Address: Humberto Lobo 520-N06, Col del Valle San Pedro Garza Garcia, 66220 Nuevo Leon, Mexico
Tel: +52 (81) 8356 6850 Tel: +52 (55) 5662 2600 Fax: +52 (55) 5662 2601
Site: www.dmxledlights.com Email: info@dmxledlights.com



DMX MR16 LED Lights – High Power LED 5W

LIFE CYCLE TEST RESULT

Luminous Flux



Important: Please contact our engineer to ensure installation and maintenance being properly executed to obtain maximum performance, efficiency and durability from the LED lighting product.

Disclaimer: While every care has been taken with the details on this specification sheet, we accept no responsibility for any inaccuracies and reserve the right to change these specifications without notice to always ensure that you are receiving a superior product.

DMX LED Lights (DMX Technologies)

Address: Humberto Lobo 520-N06, Col del Valle San Pedro Garza Garcia, 66220 Nuevo Leon, Mexico
Tel: +52 (81) 8356 6850 Tel: +52 (55) 5662 2600 Fax: +52 (55) 5662 2601
Site: www.dmxledlights.com Email: info@dmxledlights.com